

The Shropshire and Mid Wales Fertility Centre

GP Referral Criteria - Shropshire, Telford & Wrekin CCGs

Guidelines for Fertility Assessment

- Couples should be advised to lead as healthy a lifestyle as possible while trying to conceive (see NICE Guidelines) including:
 - Limit Alcohol consumption to 1-2 units per week
 - Do not smoke
 - Ensure BMI is between 19 30
 - Have regular intercourse (every 2-3 days)
 - Men should avoid hot baths, saunas etc and wear loose fitting underwear
 - Men should take Vitamins A & E (recommended daily dose only), Zinc & Selenium (recommended daily dose only) and Vitamin C 1000mg daily. Inform of the importance of these nutrients in sperm production.
- 2. For female recommend Rubella Antibody Screening <u>plus</u> Folic acid 0.4mg daily while trying to conceive and through first 12 weeks of pregnancy.
- 3. If there is no pregnancy after 1 year of regular, unprotected intercourse, check luteal phase progesterone level (7 days before next expected period) and request a sperm function test.
- 4. Both partners names and dates of birth must be provided at the time of referral

Suggested Referral Criteria to the Fertility Clinic

All couples should have been co-habiting in a stable relationship for at least 2 years or have a stable marriage.

Female age	Referral details					
Shropshire - <35 years	Please refer after 2 years of regular unprotected intercourse, if progesterone and sperm					
Telford - <36 years	function are satisfactory. Please refer after 1 year if progesterone or sperm tests					
-	abnormal or if there is suspected/known pathology.					
Shropshire - ≥35 years	Please refer after 1 year of regular unprotected intercourse and arrange Day-2 FSH,					
Telford - ≥36 years	luteal phase progesterone plus sperm function test at the time of referral. Please be aware					
	that the cut-off for NHS funding in assisted conception (IVF/ICSI etc) is age 37.5 for					
	Shropshire patients, age 40 for Telford patients. Please consider referring any woman or					
	her partner with suspected/known pathology sooner.					

<u>Earlier referral</u> would be indicated where there are clinical reasons for suspecting pathology, eg. oligo/amenorrhoea, previous pelvic infection/intra- abdominal gynaecological operations, PCOS or in the male - genital tract trauma operations or infection. *Previous cancer treatment indicates early referral.*

Woman ≥40 years of age Referral not recommended because pregnancy rates on funded

treatment are poor. (Investigation and oral ovulation induction

only are provided by the Fertility Clinic)

Man ≥55 years of age - Referral not recommended because of potential parenting

problems. Including possible serious illness or death of the man

before the child reaches maturity.

Please send your referral to <u>The Medical Team</u>, The Shropshire and Mid Wales Fertility Centre, Severn Fields Health Village, Sundorne Road, Shrewsbury SY1 4RQ <u>www.shropshireivf.nhs.uk</u>

Authorisation date	13/11/2020	Review date	13/11/2021	Version number	3	Document	A165C(a)
						number	
Author	JK	Number of	1	Location	ISO9000\QUALITY\FORMS		
		pages			CLINICAL		